


# Great British Stone Selection

STONEWORLD

Everything you need in stone



Championing British Stone

Sanditon Purbeck paving





# Contents

## **04 About us**

## **06 Our Great British Stone**

**08** Purbeck stone

**09** York stone

**13** Portland stone

**13** Pennant stone

**14** Gritstone

**15** Aggregates and walling

**16** Irish selection

**17** British slate

**17** Ruskin British limestone

## **18 Project insights**

## **23 Stone finishing**

## **23 Stone care**

## **23 Masonry stone cutting**

# About us

## Our story

Stoneworld is a family business based in Oxfordshire with over 20 years of experience. We all have a passion for stone and are always on the look-out for exceptional new products to add to our range that will inspire you in your interior and exterior projects! With our wealth of knowledge and experience in all aspects of stone we can advise you on stone selection, laying patterns, suitability, etc. We are always happy to share our expertise.

## Our workshop

Our stone pieces are produced with craftsmanship and care in our factory in Great Milton, Oxfordshire, to ensure quality. Whether you require bespoke stone cutting or complicated design work, we are always happy to help you achieve your design aspirations. Our high-tech masonry workshop team are highly skilled, using the latest stone cutting machinery. This enables us to offer solutions for any architectural, sculptural or landscaping requirement.

## Innovation takes courage

Our masonry factory has been constantly advancing in technological development over the last 20 years. We are continually researching what machinery is being developed to enable the work that we do to be produced more efficiently. Our investments in the latest technology enable us to fulfil any projects however ambitious, artistic & precise our customers' requirements are. It also puts us way ahead of the average worktop fabricator. All our work is done accurately in our factory using precision cutting equipment.

## The artistry of exceptional craftsmanship

Aside from our innovative technology, it's our team of people who really makes a difference. Our factory workers are all highly skilled colleagues who love to go the extra mile to create extraordinary things. Our investment in the right kit for the job makes them very proud of the work they can produce. No task is too ambitious. There are also a few jobs that our skilled masons need to do by hand, such as polishing.





# Our Great British Stone

Lambton self-faced  
York stone



## Championing British Stone

**We are proud to offer you our Great British Stone Selection; a range of the best of British stone collated from all corners of the British Isles.**

High quality standards are maintained as a result of our long-standing relationships with our suppliers. You also reduce your carbon footprint by investing in our indigenous stone.

Our British Stone range is ever-growing, offering plenty of choice in both colour and finish. Please be aware that with natural stone products, colour, texture and natural markings may differ. Onsite masonry services will assist you in meeting any exacting brief — We are here to help!

## Purbeck stone

This classic limestone paving, pale in colour, really adds character to any landscaping scheme. Perfect for any contemporary or traditional design, our Purbeck limestone paving is characterised by its grey and buff tones.

### CHAWTON PURBECK

Paving: Available in 250/325/400mm x random lengths x 30-50mm thick.

### SANDITON PURBECK

Paving: Available in 300 x random lengths x 50mm thick.

Pitchers: Available in 30-60mm width x 75-100mm depth x random lengths (Tumbled is optional).


Setts: Available in 100mm wide x running lengths x 50-75mm and 100mm wide x running lengths x 75-100mm.



Chawton Purbeck



Sanditon Purbeck pitchers



Sanditon setts and pitchers



## York stone

York Stone is a beautiful, traditional British Sandstone that has been used for centuries where hardwearing surface is required. We stock 7 styles of York stone paving, all of which have a timeless appeal and are long lasting.

### LAMBTON SELF-FACED YORK STONE

Classic and dark in colour, this stone has a naturally self-faced surface with gentle indentations, caused where it was possible to ease the layered beds of rock away from each other.

### CARDALE RIVEN YORK STONE: A VARIANT OF LAMBTON

Naturally, riven surface. Approx. 50% of the pavers will have a riven surface with others being smooth. Classic and Dark in colour.

#### Formats

##### Lambton Self Faced:

Available in 600mm x random lengths x 38-65mm thick (Avg. 50mm). Also available in 30mm thickness, suitable for foot traffic.



Lambton self-faced  
York stone

## BARSET SAWN YORK STONE

Slabs have a smooth, sawn surface. Constant Green and Brown in colour. Various formats available.

## EARNSHAW SAWN YORK

Paving with a diamond sawn finish. Hard, British sandstone with a medium to coarse grained texture. Golden Buff tones through to Absolute Grey. Some slabs will feature veining of both colours. Various formats available.

### Formats

#### Barset sawn:

- Pavers: Available in 400/500/600mm x random lengths x 50mm thick and 900mm x 600mm x 50mm thick.
- Setts: Available in 75mm thick (Tumbled).

#### Earnshaw sawn:

- Pavers: Available in 600/450mm x random lengths x 40mm thick, 900mm x 600mm x 40mm thick.
- Setts: 250mm x 150mm x 50mm thick.

#### Linton riven paving:

Available in 600mm x random lengths x 38-70mm thick.

## LINTON BRITISH YORK STONE

Hard, British sandstone with a medium to coarse grained texture. This paving has Golden to Buff tones. Available in Riven and sawn formats.

## BAMPTON SAWN YORK STONE

Offered in 2 tones, this is a sawn paving. Available in a Buff and Grey version — the difference between them are more visible when wet than dry.

#### Linton Golden Buff sawn:


- Paving: Available in 600/450mm x random lengths x 40mm thick, 900mm x 600mm x 40mm thick.
- Setts: Available in 250mm x 150mm x 50mm thick, 200mm x 100mm x 40mm thick, 100mm x 100mm x 40mm thick.

#### Bampton sawn:


Available in 400/500/600mm x random lengths x 50mm thick.

#### Cardale riven:

Available in 600mm x random lengths x 38-70mm thick.



Barset sawn York stone



Linton British York stone



Earnshaw sawn York



Bampton Grey

Linton British York stone

Earnshaw York stone  
copings and paving



## Portland stone

This sparkling creamy limestone paving has featured in our architecture in the British Isles for centuries. Available in 2 styles, Hardy is a smooth, classic creamy white paving stone and Casterbridge is a greyer version with a bush hammered finish to give a look of authenticity.

### All styles

Sawn: Available in several formats (not exceeding) 1200 x 750mm x 50mm thick.



Casterbridge Portland stone


## Pennant stone

A classic British sandstone, Pennant sandstone paving can be seen across the entire country, where it has been used to create classic street and landscape schemes. Its reserved appearance blends well with traditional landscapes.

Pemberley Pennant stone (Mixed Buff/Grey)  
& Tevershall Pennant stone (All Grey):  
Available in 600mm x random lengths x  
50mm thick, 900mm x 600mm x 50mm thick.



Pemberley Pennant stone



## Gritstone

Sourced from Northumberland, British gritstone is a very hardwearing stone paving. Its traditional hues of greys, buffs and orange grits will enhance any landscape design, with each style offering its own distinctive colour tone and markings.

Our five Northumberland grit stones each have a distinctive character of their own.

### BRANWELL

Fine grained creamy buff.

### HAWORTH

Light buff medium grained stone.

### HEATHCLIFF

A coarse-grained brown and grey, variegated sandstone, with occasional large quartz inclusions. Featuring striking grey veins.

### THORNTON

A fine-grained blue/grey gritstone.

### WILDFELL

A medium grained British gritstone paver displaying a blend of orange and grey grits.

#### **Format for all**

Sawn on six sides. Sizes: 600 x running lengths x 50mm thick.



Branwell



Haworth



Heathcliff



Thornton



Wildfell

## Aggregates and walling

We also have a range of ornamental gravels, sourced from the UK, suitable for driveways, paths and courtyards. We deliver bulk bags containing 950kg, or small 25kg bags are available for small projects.

Our walling stone is available in several formats catering for both informal and formal structures. Check out our Purbeck limestone walling.



## Irish selection

We bring together here a selection of the best quality Irish stone for paving and landscaping. Choose from classic sandstone, to quartzite to limestone. Various formats available.

A beautiful range of classic Irish stones.

### BOLAND

The beautiful golden and cream tones of this Irish quartzite paving will sparkle in the sunshine, adding warmth to any garden design.

#### Formats

250/300/350 x running lengths  
x 20-40mm thick.

### SADLIER & EDGEWORTH:

Our classic Irish blue grey limestone is available in two styles. Sadlier is without fossil markings. Edgeworth features creamy fossil markings throughout. Both styles are available with either a flamed or sawn surface finish. A honed surface is also available for indoor use only.

#### Formats

Sawn or Flamed – 600 x 300 x 20mm,  
600 x 600 x 20mm, 600 x 300 x 30mm.

### ORMOND:

Beige and buff tones are a feature of our elegant Ormond Irish Sandstone Paving. The pale tones and format look stunning in a contemporary setting.

#### Format

400mm x running lengths x 30mm thick.




**Boland**



**Edgeworth**



**Ormond**



**Sadlier**



## British slate

British slate paving available from regional quarries around the British Isles. Traditional hues of green or black will enhance any landscape design. The depth of colour adds contrast against buildings and plants.

### BRANTWOOD CUMBRIAN GREEN SLATE

Flamed: Available in 200/300/400mm. Widths x random lengths, 31mm thick.

Setts: Available in 222/148/111mm x 148mm x 50mm thick.

Millais Cumbrian Black Slate Setts:

Available in 222/148/111mm x 148mm x 50mm thick.

## Ruskin British limestone

Ruskin British limestone paving is one of the hardest and most versatile stones available in our Great British Stone Selection. Its buff colour with mottled coffee markings throughout the stone will enhance any landscape design. Available in various formats and finishes.

### RUSKIN BRITISH LIMESTONE

Flamed Paving: 200/300/400mm x random lengths x 31mm thick.

Tumbled Setts: 222/148/111mm x 148mm x 50mm thick.



Millais slate




Ruskin British limestone


# Project insights

## When classic meets contemporary

This exquisite garden, created in a rural landscape setting, features our beautiful Great British Stone Selection as well as a contemporary pool lined with porcelain tiles.

Lambton self-faced  
York stone








Lambton self-faced  
York stone

## Breathtaking British stone

We supplied our stunning Lambton self faced York stone in the landscaped areas surrounding the pool house and tennis court.

Made up of layers, this beautiful stone is available in both a 38-70mm thickness and a thinner 25-35mm version which was used for the paving. Steps have been created using the thicker 38-70mm slabs as step treads, throughout the garden to accommodate to the truly amazing rural landscape the property is located within.

The earthy, traditional tones of Lambton York stone add such elegance to a landscape design. Its subtle colouring truly allows it to sit perfectly within this project as it brings contemporary and natural elements together.



Barset sawn York stone

## Beautiful Barset sawn York stone infinity pool

In this prestigious project Stoneworld supplied the Barset sawn York stone Paving. We also fabricated many specific items for this project in our masonry factory, such as the York stone pool copings. These pool copings were made to measure with a bullnosed front edge. Concealed inspection lids, lighting channels, stone seating areas and step treads were all made to order in our factory.

We also devised a way of fixing submerged sliced Great British glacial boulders to the bottom of the pool for decorative effect, as per the customer's specification.

## Dazzling driveway using British stone

Our extra thick Lambton self-faced York stone has been laid outside this porch to this stunning countryside farmhouse. Its classic dark colour is complimented beautifully by our Portuguese cropped granite setts, with the combination of the 2 products being used to create a fabulously eye-catching driveway.



## Stone finishing

We recommend Resiply Jointing compound for pointing paving projects. This long-lasting resin based jointing compound makes pointing easy! Available at Stoneworld. 3 colours to choose from to suit your paving.



## Stone care

At Stoneworld we care about the afterlife of the products you buy from us. Like you, we want it to look great for years to come. Our Rob Parker's Best range has been scientifically developed to address the care and maintenance of all stone.

Find out more on [robparkersbest.co.uk](http://robparkersbest.co.uk)



## Masonry stone cutting

Take your project to the next level! Our onsite masonry workshop can assist with stone and porcelain cutting, making installing much easier. Step treads, copings, etc can be cut to size and bull nosed for a professional finish. Ask at the time of ordering.



# Everything you need in stone

📍 Stoneworld Oxfordshire Ltd,  
Views Farm, Great Milton  
OX44 7NW

✉ [sales@stoneworld.co.uk](mailto:sales@stoneworld.co.uk)

🌐 [www.stoneworld.co.uk](http://www.stoneworld.co.uk)

☎ +44 (0)1844 279274